

JAY-DEE

MATERNAL COMPOSITES

FOR SELF REPLACING FLOCKS



ON PROPERTY AUCTION - WED 25TH OCTOBER 1PM (SA)
Binnum, South Australia -BBQ LUNCH PROVIDED

150 MATERNAL COMPOSITE RAMS

EXTRA LAMBS + EXTRA MUSCLE

EXTRA MILK + EXTRA FERTILITY

+EXTRA GROWTH

= MORE PROFIT



JOHN & JOSH DOWDY

JOHN - 0428 642 065

JOSH - 0407 642 565



RICHARD JENNINGS
LANDMARK NARACOORTE
0428 616 554

4% REBATE TO OUTSIDE AGENTS

ALI HAYNES
SAL NARACOORTE
0439 350 252

CATALOGUE AVAILABLE ONLINE - WWW.RAMS4EWE.COM.AU

JAY-DEE MATERNALS

Welcome to our 9th annual Maternal Composite sale being held on our family property "Moolyella", 38 Moolyella Road, Binnum right on the SA/Victorian border, providing a central point for both South Australian and Victorian clients.

We have been fortunate to receive generous rainfall here this year, though the poor lambs did need swimming lessons in August! It was certainly a long cold winter and luckily we had a big woodheap but we are looking forward to some sunshine now.

Ram production has been a major part of our business since 1988. We maintain a high level of health status for both your and our protection with Brucellosis accreditation and Ovine Johne's Disease testing to MN3 status as well as Gudair vaccination for further protection on your property.

Our experimental cross-breeding began in 1994 and Jay-Dee Maternals are always trialled and used in our own commercial flock and feedlot. Both stud and commercial ewes are all mated as lambs to test their fecundity and fertility.

Jay-Dee Maternals deliver a hardy, good doing sheep with good carcase, high early growth, great fertility and good mothering traits. We supply high performance balanced genetics for you to breed on from the ewe portion of your flock, producing more and better lambs.

We regularly source sires from other flocks untested by Lambplan to bring in new genetics. It takes some time for enough data to be collected on these sires' progeny to reflect their true worth in Lambplan breeding values. The progeny of these rams will in the meantime have lower indexes. This particularly applies to the Y(yellow) tag line in the catalogue.

The rams offered are all spring 2016 drop and have been grown out on pasture with no grain being fed. All the rams are run as one mob so visual size differences may be due to inherited genes or rearing type & date of birth. The index gives a general indication of genetic worth but the individual breeding values will indicate the genetic potential in areas where you may wish to improve your flock. If anyone would like assistance with ram selections or help with the direction of their breeding program please don't hesitate to ask us.

The rams are catalogued in groups selected for their common sire line. You will notice the group with tag prefixes R (red) now have slightly different breeding as they have been bred from new sires introduced to provide better genetic linkage and greater accuracy with our breeding values.

We are using the Maternal Carcase Production Plus index developed by Lambplan for maternal sheep and this is displayed in your catalogue.

The rams will be offered in pairs with the right to buy one or both rams.

We look forward to you joining us for lunch before the sale.

John, Josh, Judy & Jackson Dowdy

CATALOGUE INFORMATION AND AUSTRALIAN SHEEP BREEDING VALUES (ASBVS) EXPLAINED

LOT: The order of sale. The rams are grouped together by their sire's breeding

ID: Ear tag identification number. The colour of the tag denotes the sire line.

BREED COMPOSITION %: There is some variation in breed % among the rams offered to meet different clients' needs. The % has been rounded which may result in a slight variance to the total %.

EAST FRIESIAN/ FINNSHEEP/TEXEL/BORDER LEICESTER/ 'KELSO (NZ maternal composite breed) /COOPWORTH/DORSET/WHITE SUFFOLK breeds are included.

SIRE ID: Sire of each ram. You may wish to select rams bred from the same sire for a more even drop of lambs.

DOB: Date of birth in 2015 **BT:** Birth type shows the number of lambs born to the dam. **RT :** refers to the number actually reared.

BWT: (Birth Weight) Our lambs are weighed and tagged at birth. Lambs too small have low survivability, too large cause dystocia & lambing issues.

MWWT: (Maternal Weaning Weight in kg) This estimates the dam's milk production and mothering ability at 100 days (weaning).

WWT: (Weaning Weight in kg) Estimates the genetic difference in growth at 100 days. The rams were all weighed at weaning.

PWWT: (Post Weaning Weight in kg) Estimates the genetic difference in growth at 225 days. They were all weighed at post wean age.

PFAT: (Post Weaning Fat depth in mm) Estimates the genetic difference in GR fat depth at 45 kg live weight. All the rams were scanned at post weaning.

PEMD: (Post Weaning Eye Muscle Depth in mm) Estimates the genetic difference in eye muscle at the C site at 45 kg. A positive ASBV means a genetically thicker-muscled animal.

YGFW: (Yearling greasy fleece weight) generated from the different weights when fleeces were weighed at shearing in August and correlated fleece information.

PSC: (Post Weaning Scrotal Circumference) Measured when scanned at post weaning. Estimates the genetic difference between rams at 225 days. It is expected that rams with higher scrotal circumference at an early age will, on average, sire daughters that are more fertile at a younger age.

NLW: (Number of Lambs Weaned expressed as %). An indication of fertility. Estimates the genetic difference between animals for the number of lambs likely to be weaned each lambing. (Generated from pedigree/progeny records.)

INDEX: The index shown is the **Maternal Carcase Production Plus** as this has replaced the Maternal \$ index for this breed. .

acc: accuracies for each trait. Despite intensive and accurate data collection, young animals will only achieve high degrees of accuracy after they have had progeny tested and recorded in Lambplan.



		BREED %																		MCP+												
ID	DOB	BT	RT	SIRE	EF	FINN	TEX	BL	KEL	CP	DST	WS	BWT	occ	MWWT	occ	WWT	occ	PWWT	occ	PFAT	occ	PEMD	occ	YGFW	occ	PSC	occ	NLW	occ	INDEX	BUYER
1	16W471	1-Aug	1	1	W189	26.0	9.5	29.5	15.5		11.0	3.0	5.0	0.6	65	0.2	53	7.8	72	11.6	72	-1.8	71	0.6	68	9.7	71	3.5	74	4%	45	132.1
2	16W455	27-Jul	2	1	W189	27.0	17.0	25.5	20.0		5.5	2.5	2.5	0.4	63	0.6	56	5.2	73	8.8	73	-0.4	71	1.1	69	5.1	72	3.0	74	6%	44	129.5
3	16W468	31-Jul	2	2	W189	24.0	14.0	35.0	17.0		5.5	1.5	2.5	0.6	61	0.4	54	6.4	71	9.7	71	-0.7	70	1.5	67	-4.4	70	3.4	73	3%	42	132.9
4	16W527	8-Aug	2	2	W189	20.5	11.0	35.0	23.5		5.5	1.5	2.5	0.6	60	0.3	50	7.3	70	11.0	70	-1.1	67	0.9	65	-2.2	69	3.2	72	6%	40	131.6
5	16W470	1-Aug	4	1	W189	27.0	17.0	25.5	20.0		5.5	1.5	2.5	0.5	64	0.0	55	5.8	71	9.6	71	-1.3	69	0.5	66	8.3	70	2.7	72	9%	41	131.1
6	16W531	8-Aug	1	1	W189	24.0	11.0	26.0	16.0		11.0	3.0	5.0	0.6	61	0.0	52	6.9	69	10.9	71	-1.2	69	0.4	67	1.8	70	2.8	73	7%	44	129.0
7	16W451	24-Jul	2	2	W189	27.0	17.0	25.5	20.0		5.5	1.5	2.5	0.5	65	0.3	56	5.6	72	8.6	72	-1.1	71	0.9	68	5.2	71	2.7	74	6%	43	132.7
8	16W327	20-Jul	2	2	W189	27.0	11.0	25.5	26.5		5.5	1.5	2.5	0.4	60	-0.1	52	4.8	68	7.7	70	-0.3	69	1.4	67	3.8	69	2.4	72	8%	44	130.1
9	16W465	31-Jul	2	2	W189	20.5	11.0	35.0	23.5		5.5	1.5	2.5	0.6	59	0.3	52	6.7	70	10.6	70	-0.3	68	1.3	65	1.0	56	2.8	72	7%	40	135.6
10	16W495	5-Aug	1	1	W189	27.0	17.0	32.0	14.0		5.5	1.5	2.5	0.4	60	0.2	52	5.3	70	8.7	71	-1.0	69	0.8	66	4.3	69	1.9	72	6%	41	125.9
11	16W492	5-Aug	2	2	W189	23.5	18.0	23.0	16.0		11.0	3.0	5.0	0.4	60	0.0	53	5.3	71	8.7	72	-0.7	69	1.4	67	-0.1	70	2.5	73	8%	41	134.5
12	16W497	6-Aug	1	1	W189	28.0	11.0	29.0	17.0		8.0	2.0	3.5	0.5	61	0.1	52	6.5	71	10.2	71	-0.8	69	1.2	66	3.9	70	3.4	73	5%	42	133.5
13	16W544	18-Aug	3	2	W189	27.0	17.0	32.0	14.0		5.5	2.0	2.5	0.4	60	0.2	53	5.2	71	9.4	71	0.0	69	0.9	67	4.2	70	3.0	73	11%	41	133.8
14	16W478	2-Aug	2	2	W189	27.0	11.0	25.5	14.0	12.5	5.5	1.5	2.5	0.6	60	0.2	54	5.9	71	8.9	71	-1.4	70	0.9	67	0.8	70	2.9	72	6%	40	134.8
15	16W499	7-Aug	2	2	W189	24.0	17.0	26.0	23.5		5.5	1.5	2.5	0.5	59	0.0	51	6.4	70	9.8	70	-1.0	67	0.8	65	-3.6	69	2.8	72	9%	39	131.8
16	16W479	3-Aug	2	2	W189	33.0	5.0	32.0	20.0		5.5	1.5	2.5	0.5	63	0.5	58	5.2	73	8.1	73	-0.4	71	1.5	69	4.0	59	2.4	74	6%	45	132.2
17	16W538	10-Aug	2	1	W189	24.0	20.0	16.0	30.0		5.5	2.0	2.5	0.6	60	0.6	53	7.3	70	10.5	70	-1.3	68	0.3	66	0.7	68	4.2	72	6%	42	131.8
18	16W535	10-Aug	2	1	W189	20.5	11.0	35.0	23.5		5.5	2.0	2.5	0.5	59	0.0	51	5.2	69	9.0	69	-0.4	66	1.2	64	4.8	68	2.7	70	6%	40	129.5
19	16W541	15-Aug	2	1	W189	27.0	17.0	32.0	14.0		5.5	2.0	2.5	0.5	60	0.0	51	5.3	70	8.4	70	-1.0	69	0.8	66	-4.7	69	2.0	72	6%	40	125.8
20	16W490	4-Aug	2	2	W189	27.0	19.0	27.0	17.0		5.5	1.5	2.5	0.4	61	-0.3	55	5.3	71	8.9	71	-0.6	69	0.5	67	0.1	70	2.1	73	12%	42	126.1
21	16P437	6-Aug	2	2	W162	24.0	19.0	32.0	15.5		5.5	1.5	2.5	0.6	61	-0.2	54	7.7	71	11.5	71	-1.4	69	-0.5	66	-0.8	69	3.0	72	9%	42	126.0
22	16P628	22-Jul	1	1	W162	31.5	15.5	41.0	12.0					0.4	59	0.1	51	6.1	69	9.5	70	-1.5	68	0.2	65	1.9	68	2.5	71	5%	38	124.7
23	16P376	3-Aug	2	2	W162	23.0	19.0	26.5	12.5		11.0	3.0	5.0	0.4	59	-0.1	52	6.2	70	10.1	70	-0.5	68	1.3	65	-3.3	69	2.5	72	10%	41	129.9
24	16P396	5-Aug	2	2	W162	22.5	19.0	26.5	12.5		11.0	3.5	5.0	0.3	62	0.1	53	6.1	70	10.2	69	-0.3	67	1.4	64	-1.1	67	3.8	70	12%	42	135.5
25	16P358	2-Aug	2	2	W162	22.0	18.0	28.0	11.0	1.5	11.0	3.0	5.0	0.3	59	0.4	52	6.5	70	10.2	70	-0.2	68	1.1	65	8.9	69	3.2	72	10%	41	134.9
26	16P408	31-Jul	2	2	W162	20.5	20.5	37.0	12.0		5.5	1.5	2.5	0.5	63	-0.2	53	6.9	70	11.1	70	-0.5	68	0.8	66	-5.4	69	2.9	72	6%	42	133.2
27	16P353	2-Aug	2	2	W162	24.0	19.0	32.0	15.5		5.5	1.5	2.5	0.5	60	0.1	51	6.2	70	10.3	70	-0.8	68	0.8	65	0.4	69	2.3	72	7%	41	129.0
28	16P291	30-Jul	1	1	W162	24	19	32	16		6	2	3	0.4	60	-0.1	52	5.8	70	9.8	70	-0.5	69	0.5	66	2.3	69	2.6	72	9%	41	127.0
29	16P429	5-Aug	2	2	W162	22.0	20.5	32.0	12.0	3.0	5.5	1.5	2.0	0.5	63	0.0	53	7.2	70	10.2	71	-1.9	68	-0.3	66	-5.0	69	3.2	72	9%	41	123.2
30	16P369	3-Aug	2	2	W162	22.5	20.0	32.0	13.0	3.0	5.5	1.5	2.5	0.4	63	0.3	52	7.0	70	10.7	71	-1.4	69	0.5	66	-0.9	56	2.8	72	11%	41	132.5
31	16P403	5-Aug	2	2	W162	20.5	19.0	38.5	12.5		5.5	1.5	2.5	0.5	61	-0.6	54	6.6	71	10.7	71	-0.8	69	0.8	67	-3.7	58	3.0	73	10%	41	132.4
32	16P637	9-Aug	1	1	W162	21.0	20.5	39.5	14.0		2.5	1.0	1.5	0.3	59	-0.4	52	5.3	70	9.0	70	-0.5	68	0.9	65	1.9	69	3.2	72	11%	39	132.9
33	16P283	28-Jul	2	2	W162	24	19	32	16		6	2	3	0.4	60	0.3	53	6.7	70	10.2	70	-1.0	69	0.9	66	-2.8	69	3.1	72	10%	41	133.6
34	16P293	30-Jul	2	2	W162	20.0	19.0	38.5	12.5		5.5	1.5	2.5	0.4	63	-0.4	53	6.4	70	10.3	70	-1.6	68	1.0	65	1.7	69	2.6	72	10%	42	133.3
35	16P276	22-Jul	2	2	W162	25	19	38	19					0.4	61	-0.2	54	4.6	69	7.2	67	-0.9	58	0.8	57	-3.8	54	2.0	60	9%	40	127.2
36	16P433	6-Aug	3	3	W162	22.5	19.0	26.5	12.5		11.0	5.0	3.5	0.3	58	-0.3	56	6.2	70	10.2	69	-0.7	59	0.8	58	1.7	68	3.1	62	14%	40	134.3

		BREED %																		MCP+												
LOT	ID	DOB	BT/B*	SIRE	EF	FINN	TEX	BL	KEL	CP	DST	WS	BWT	acc	MWWT	acc	WWT	acc	PWWT	acc	PFAT	acc	PEMD	acc	YGFW	acc	PSC	acc	NLW	acc	INDEX	BUYER
37	16P425	5-Aug	2	1	W162	24.0	19.0	32.0	15.5		5.5	1.5	2.5	0.4	59	0.0	50	5.5	70	8.5	70	-0.7	68	0.5	66	2.3	69	2.0	72	8%	41	126.6
38	16P439	6-Aug	2	2	W162	25.0	25.0	31.5	18.5					0.5	59	-0.8	51	6.2	70	10.2	70	-1.0	68	0.5	65	0.0	69	2.5	72	8%	39	129.0
39	16P450	7-Aug	1	1	W162	20.5	19.0	38.5	12.5		5.5	1.5	2.5	0.4	61	-0.2	54	6.8	71	10.5	71	-0.8	69	0.9	66	-3.0	69	3.6	72	9%	42	133.6
40	16P650	20-Aug	2	2	W162	21.0	25.0	32.0	12.5		5.5	1.5	2.5	0.4	60	-0.7	51	6.9	70	10.8	70	-1.0	68	0.7	65	-3.5	69	3.2	72	9%	41	131.9
41	16P282	28-Jul	2	2	W162	24	19	32	16		6	2	3	0.4	60	0.3	53	6.7	70	10.2	70	-0.8	69	1.0	66	4.2	69	3.3	72	10%	41	137.6
42	16P409	31-Jul	2	2	W162	20.5	20.5	37.0	12.0		5.5	1.5	2.5	0.4	63	-0.2	53	6.2	70	10.3	70	0.2	68	1.4	66	-4.9	69	2.9	72	6%	42	135.2
43	16P406	30-Jul	2	2	W162	24.0	16.0	35.0	15.5		5.5	1.5	2.5	0.4	63	-0.2	52	6.7	70	10.5	70	-1.1	68	0.8	66	-0.4	69	2.5	72	8%	40	127.3
44	16P626	22-Jul	2	1	W162	31.0	19.0	28.5	21.5					0.3	57	-0.2	52	5.6	69	8.7	68	-0.8	59	1.0	57	-1.8	57	2.7	61	6%	37	128.5
45	16P648	15-Aug	1	1	W162	20.5	19.0	38.5	12.5		5.5	1.5	2.5	0.4	58	-0.7	52	5.7	69	9.0	68	-1.0	59	0.8	57	-2.2	68	2.4	61	6%	40	126.8
46	16P449	7-Aug	2	2	W162	20.5	19.0	38.5	12.5		5.5	1.5	2.5	0.4	60	-0.2	53	6.5	71	10.2	71	-0.7	69	1.1	66	-0.5	69	2.9	72	9%	41	135.4
47	16P641	10-Aug	3	2	W162	20.5	19.0	38.5	12.5		5.5	1.5	2.5	0.5	60	-0.3	54	6.9	70	11.2	70	-1.0	67	0.6	65	2.5	67	3.0	70	11%	42	132.6
48	16P426	5-Aug	2	2	W162	24.0	19.0	32.0	15.5		5.5	1.5	2.5	0.3	60	-0.5	53	5.4	70	8.9	71	-0.3	68	1.5	66	-4.1	69	2.7	72	9%	42	131.2
49	16P397	5-Aug	2	2	W162	22.5	19.0	26.5	12.5		11.0	3.5	5.0	0.1	62	0.1	53	3.3	70	7.3	70	-0.2	68	1.3	66	3.5	69	2.2	72	10%	42	127.3
50	16P284	28-Jul	2	2	W162	24	19	32	15		6	2	3	0.3	62	-0.2	53	6.4	70	10.2	70	-0.2	68	1.1	65	-0.2	68	3.1	72	10%	40	132.0
51	16P646	7-Aug	2	1	W162	23.0	21.0	38.0	13.0		2.5	1.0	2.5	0.4	60	-0.2	52	5.5	70	8.7	70	-0.7	68	0.8	66	-3.5	69	3.2	72	8%	40	127.9
52	16P430	6-Aug	3	3	W162	22.0	20.0	37.5	17.0	3.0				0.4	59	0.1	54	6.0	70	8.8	70	-0.7	68	0.5	65	-3.6	69	2.6	72	10%	41	128.6
53	16P445	5-Aug	2	2	W162	23.0	22.0	37.5	14.0	3.0				0.5	58	0.2	52	7.4	69	10.3	68	-1.3	59	0.4	57	-5.2	56	3.2	61	9%	40	131.0
54	16P385	4-Aug	2	2	W162	20.5	22.0	35.0	12.5		5.5	1.5	2.5	0.5	60	-0.5	54	6.6	70	10.6	70	-1.5	68	0.6	66	-2.0	69	2.7	72	8%	42	130.7
55	16P386	4-Aug	2	2	W162	20.5	22.0	35.0	12.5		5.5	1.5	2.5	0.4	60	-0.5	54	6.8	70	10.6	70	-1.3	68	0.8	66	-2.8	69	3.2	72	9%	42	133.5
56	16P381	4-Aug	2	2	W162	27.0	16.0	32.0	15.5		5.5	1.5	2.5	0.3	61	0.1	54	5.1	71	8.4	71	-0.7	69	1.1	67	0.4	70	2.9	73	11%	42	134.3
57	16P649	18-Aug	1	1	W162	20.5	19.0	38.5	12.5		5.5	1.5	2.5	0.2	52	-0.4	42	5.0	64	8.4	65	0.0	63	0.7	60	-3.2	47	3.0	69	6%	33	124.4
58	16P399	5-Aug	3	2	W162	26.0	19.0	35.0	15.5		3.0	1.0	1.5	0.4	59	-0.1	52	6.2	70	10.1	70	-1.0	67	0.8	65	-0.9	69	2.8	72	11%	39	130.8
59	16P645	20-Aug	2	2	W162	16.0	27.0	26.0	12.0		11.0	5.0	3.0	0.4	59	-0.7	51	6.4	67	10.2	69	-1.1	67	0.7	65	-0.1	69	2.3	71	8%	41	129.0
60	16P444	5-Aug	2	2	W162	23.0	22.0	37.5	14.0	3.0				0.4	60	0.2	52	6.4	70	9.1	71	-1.2	69	0.6	66	-9.9	69	2.8	72	9%	41	127.9
61	16P388	4-Aug	2	2	W162	23.0	16.0	30.0	12.5		11.0	3.0	5.0	0.3	59	0.2	51	5.2	70	7.9	70	-0.2	68	1.1	65	-1.9	68	2.4	72	9%	41	128.8
62	16P355	2-Aug	3	2	W162	23.0	19.0	38.0	15.0		2.5	1.0	1.5	0.4	59	-0.8	51	5.9	70	10.0	70	-1.1	67	0.5	64	2.9	69	3.1	72	12%	38	131.1
63	16P643	20-Aug	2	2	W162	26.0	19.0	35.0	15.5		2.5	1.0	1.5	0.3	59	0.1	52	4.8	70	7.9	70	-0.7	67	0.9	65	-4.0	69	1.9	72	9%	39	129.3
64	16P421	7-Aug	2	2	W162	22.0	19.0	32.5	12.5		8.0	2.5	3.5	0.4	59	-0.6	52	5.6	70	9.0	69	-1.2	66	0.4	63	-4.4	67	1.9	70	11%	39	128.9
65	16P434	6-Aug	3	3	W162	22.5	19.0	26.5	12.5		11.0	5.0	3.5	0.2	60	-0.3	56	4.5	71	8.0	71	-0.5	69	1.0	67	-0.2	70	2.4	73	13%	41	131.5
66	16P414	5-Aug	2	2	W162	20.5	19.0	38.5	12.5		5.5	1.5	2.5	0.4	61	-0.6	54	6.2	71	10.2	71	-0.5	69	1.2	67	-9.3	70	3.1	73	10%	41	135.1
67	16P297	30-Jul	2	2	W162	24.0	19.0	32.0	15.5		5.5	1.5	2.5	0.3	63	-0.1	53	5.2	70	8.3	70	-0.6	68	1.2	66	-1.7	69	1.7	72	5%	41	131.5
68	16P647	25-Aug	2	2	W162	20.5	19.0	38.5	12.5		5.5	1.5	2.5	0.2	52	-0.1	41	6.0	63	8.6	65	-1.0	63	0.6	60	-2.0	66	2.8	69	5%	33	126.7
69	16R119	2-Aug	1	1	921	11.0	9.5	24.5	11.0		38.0	5.0	1.0	0.6	55	0.1	38	7.2	68	11.1	68	-1.1	64	0.4	61	3.8	66	3.2	70	10%	32	132.7
70	16R183	5-Aug	1	1	921	12.0	8.5	22.0	8.5		41.0	5.5	2.0	0.6	56	-0.3	37	7.7	68	11.9	68	-1.2	65	0.7	62	7.0	67	3.9	70	9%	33	135.8
71	16R101	28-Aug	1	2	W189	27.0	17.0	32.0	14.0		5.5	1.5	2.5	0.5	60	-0.2	53	6.5	71	10.9	71	-0.9	69	0.6	66	6.0	69	2.9	72	8%	42	130.5
72	16R196	15-Aug	3	1	921	12.0	8.5	22.0	8.5		41.0	6.5	1.5	0.5	48			7.6	62	11.1	63	-0.7	61	1.3	58	6.6	63	2.7	66	5%	26	134.9

LOT	ID	DOB	BT	RT	SIRE	BREED %												MCP+														
						EF	FINN	TEX	BL	KEL	CP	DST	WS	BWT	acc	MWWT	acc	WWT	acc	PWWT	acc	PFAT	acc	PEMD	acc	YGFW	acc	PSC	acc	NLW	acc	INDEX
73	16R139	31-Jul	2	1	921	10.5	9.5	22.0	9.5		41.0	6.0	1.5	0.6	58	0.3	37	7.8	68	12.3	68	-0.8	64	0.9	61	15.4	67	3.4	70	11%	32	138.7
74	16R250	16-Aug	2	2	921	12.5	8.0	17.0	12.0	1.5	41.0	6.0	2.0	0.6	53	0.3	39	7.6	65	11.5	62	-1.2	52	0.4	50	5.3	51	3.4	55	10%	30	135.6
75	16R185	5-Aug	2	1	921	18.0	5.5	26.0	1.5	1.5	38.0	5.0	1.0	0.6	52			7.8	67	11.6	66	-1.3	63	0.4	59	1.6	65	3.4	69	7%	31	133.0
76	16R121	2-Aug	2	2	921	9.0	8.5	22.0	12.0		41.0	6.0	2.0	0.6	55	0.1	38	7.8	68	11.9	68	-0.9	64	0.8	61	11.6	67	3.4	70	8%	32	135.3
77	16R176	3-Aug	1	1	921	11.0	9.5	25.0	11.0		38.0	5.0	1.0	0.5	55	-0.3	38	6.4	68	10.2	68	-0.9	64	0.5	61	4.1	66	3.4	70	10%	32	130.7
78	16R173	4-Aug	1	1	921	22.0		31.0		3.0	38.0	5.0	1.0	0.6	54	-0.2	38	7.3	68	10.8	68	-1.1	66	0.7	63	4.8	67	3.1	71	9%	33	132.8
79	16R134	21-Jul	1	1	921	9.0	9.5	20.0	9.5		44.0	6.0	1.5	0.6	58	-0.3	36	7.3	66	12.0	67	-0.7	64	0.7	61	9.2	66	3.6	69	9%	32	132.9
80	16R153	28-Jul	1	1	921	9.0	9.0	22.0	12.0		41.0	6.0	2.0	0.5	54	-0.2	36	6.7	66	10.6	68	-0.4	64	1.2	61	10.5	67	3.2	70	7%	32	136.0
81	16R205	8-Aug	1	1	921	11.0	9.5	24.5	11.0		38.0	5.0	1.0	0.5	55	-0.2	37	5.9	67	9.5	67	-0.8	64	0.3	61	6.8	66	1.9	70	6%	32	124.6
82	16R126	31-Jul	2	2	921	12.0	8.0	22.0	6.0	3.0	41.0	6.0	2.0	0.6	59	-0.4	38	7.7	68	12.0	68	-1.0	65	0.9	62	-1.7	67	3.5	70	10%	32	135.9
83	16R201	6-Aug	1	1	921	12.0	8.5	22.0	8.5		41.0	5.5	2.0	0.5	53			6.6	67	10.1	68	-0.9	63	0.8	60	5.2	66	2.9	69	5%	31	130.7
84	16R216	11-Aug	1	1	921	7.5	14.0	16.0	9.0		44.0	7.0	3.0	0.4	56	-0.5	38	5.6	68	8.8	68	-0.5	65	1.1	61	-2.9	66	1.6	70	7%	33	128.7
85	16R249	15-Aug	2	2	921	12.0	8.5	22.0	8.5		41.0	6.0	2.0	0.4	48			6.2	63	9.6	64	-0.6	61	0.8	57	6.3	64	3.1	67	6%	26	129.9
86	16R142	31-Jul	1	1	921	12.0	8.5	22.0	8.5		41.0	6.5	1.5	0.4	53			7.5	63	11.3	65	-0.8	61	0.8	58			3.9	68	6%	28	133.8
87	16R200	20-Aug	2	2	921	9.5	11.0	26.0	9.5		38.0	5.0	1.0	0.6	56	-0.4	38	7.5	68	11.2	68	-1.1	64	1.0	61	0.6	66	3.3	70	8%	32	136.3
88	16R163	3-Aug	2	2	921	16.0	12.5	12.0	16.0		38.0	5.0	0.5	0.7	58	0.2	38	8.7	67	12.2	66	-1.5	60	0.3	58	-2.0	61	2.9	65	7%	32	132.0
89	16R258	10-Sep	3	2	804	12.5	12.5	31.0	6.5		32.0	5.0	1.0	0.6	51	-0.3	40	7.5	63	11.4	63	-1.4	60	0.6	57	7.2	59	4.1	65	9%	33	134.2
90	16R193	6-Aug	2	2	921	15.0	3.0	19.0	9.5		44.0	6.5	3.0	0.6	56	0.5	42	7.1	69	11.2	69	-1.2	66	0.7	63	5.9	67	2.6	71	9%	36	135.5
91	16R109	1-Aug	1	1	921	5.0	19.0	22.0	11.0		38.0	5.0	1.0	0.4	58	-0.6	37	5.8	68	8.8	68	-0.6	66	1.0	63	-7.3	68	2.5	71	7%	33	128.7
92	16R123	2-Aug	2	1	921	11.0	9.5	25.0	11.0		38.0	5.0	1.0	0.5	54	-0.4	37	6.7	66	10.8	66	-1.0	64	0.9	61	9.4	65	2.9	69	8%	31	134.8
93	16R160	31-Jul	1	1	921	16.0	12.5	12.0	16.0		38.0	5.0	0.5	0.5	56	-0.4	37	6.9	68	10.9	68	-0.9	64	0.7	61	5.1	66	3.4	70	10%	32	135.0
94	16R228	16-Aug	2	2	921	12.5	8.0	17.0	12.0	1.5	41.0	6.0	2.0	0.6	53	0.3	39	7.3	65	11.1	62	-1.2	52	0.5	50	4.9	51	3.2	55	10%	30	134.8
95	16R168	3-Aug	2	2	921	10.5	9.5	22.0	9.5		41.0	6.0	2.0	0.5	55	-0.1	38	6.6	68	10.8	68	-0.8	65	0.9	62	9.6	67	2.3	71	9%	32	134.5
96	16R111	2-Aug	2	2	921	13.5	9.5	12.5	16.0		41.0	6.0	1.5	0.7	55	0.0	36	7.9	68	12.2	68	-1.2	64	0.3	61	7.2	66	2.9	70	9%	31	135.6
97	16R233	15-Aug	2	2	921	12.0	8.5	22.0	8.5		41.0	6.0	2.0	0.4	42			6.4	54	9.8	56	-0.7	42	0.9	41			2.9	49	6%	23	129.6
98	16R140	31-Jul	2	2	921	13.5	5.5	19.0	7.0	6.0	41.0	6.0	2.0	0.7	59	0.0	39	7.5	68	11.3	68	-0.9	65	0.7	62	3.2	67	2.7	70	8%	32	137.3
99	16R120	2-Aug	2	1	921	11.0	9.5	24.5	11.0		38.0	5.0	1.0	0.6	54	-0.4	37	7.2	66	11.2	66	-0.9	64	0.5	61	6.8	51	3.2	69	8%	31	133.1
100	16R227	16-Aug	2	2	921	7.5	14.0	16.0	9.0		44.0	7.0	3.0	0.5	55	-0.4	40	7.3	68	11.2	68	-0.9	65	1.0	62	1.0	67	3.8	70	12%	33	138.2
101	16R221	16-Aug	2	1	921	12.0	8.5	22.0	8.5		41.0	6.0	2.0	0.5	56	-0.5	37	8.2	68	12.7	68	-1.3	65	0.8	62	2.6	67	4.5	70	11%	33	142.0
102	16R137	31-Jul	2	2	921	10.0	9.5	18.5	8.0		44.0	6.5	3.5	0.6	59	-0.2	38	7.8	68	11.8	68	-1.3	65	0.4	62	7.7	67	3.4	70	11%	32	138.9
103	16R105	31-Jul	3	2	921	9.0	12.5	22.0	8.0		41.0	5.8	2.0	0.6	55	-0.3	38	7.7	68	11.7	68	-1.3	65	0.6	61	-1.8	66	2.9	70	10%	33	134.7
104	16R190	6-Aug	2	2	921	12.0	9.5	16.0	14.0		41.0	6.0	2.0	0.6	55	-0.4	35	7.6	68	11.7	68	-0.8	64	0.6	61	4.2	66	3.3	70	9%	32	137.5
105	16R130	31-Jul	2	1	921	18.0	5.5	26.5	4.5	1.5	38.0	5.0	1.0	0.5	58	-0.5	39	6.5	67	9.9	67	-0.8	65	0.5	62	3.7	66	3.3	69	10%	33	133.0
106	16R115	2-Aug	2	1	921	12.0	9.5	15.5	14.0		41.0	6.0	2.0	0.7	55	-0.5	37	6.5	68	10.1	68	-1.1	64	0.0	61	1.9	66	1.9	70	8%	32	125.8

LOT	ID	DOB	BT	RT	SIRE	BREED %												MCP+														
						EF	FINN	TEX	BL	KEL	CP	DST	WS	BWT	acc	MWWT	acc	WWT	acc	PWWT	acc	PFAT	acc	PEMD	acc	YGFW	acc	PSC	acc	NLW	acc	INDEX
107	16R170	3-Aug	2	2	921	9.0	14.0	19.0	6.0	3.0	41.0	6.0	2.0	0.5	55	-0.4	39	6.9	68	10.3	68	-1.1	65	0.9	61	3.3	66	2.9	70	10%	33	136.9
108	16R208	8-Aug	1	1	921	10.0	8.0	19.0	9.5		44.0	7.5	2.0	0.5	55	-0.6	38	6.2	68	9.3	68	-1.7	65	0.6	61	-0.3	66	2.4	70	7%	33	128.3
109	16R252	10-Sep	3	2	804	12.5	12.5	31.0	6.5		32.0	5.0	1.0	0.4	51	-0.7	43	5.9	64	9.4	64	-0.4	61	0.5	58	2.9	59	3.0	65	8%	33	124.7
110	16R194	12-Aug	2	2	921	11.0	9.5	25.0	11.0		38.0	5.0	1.0	0.3	48			5.6	63	8.6	64	-0.7	61	1.2	57	6.9	64	2.1	67	4%	26	129.1
111	16R136	31-Jul	2	2	921	10.0	9.5	18.5	8.0		44.0	6.5	3.5	0.6	58	-0.2	38	7.9	65	12.2	67	-1.3	65	0.7	62	8.3	67	3.2	70	12%	32	137.8
112	16R218	15-Aug	1	1	921	11.0	9.5	22.0	8.0	6.0	38.0	5.0	1.0	0.5	50	-0.2	36	6.6	61	10.2	62	-1.0	50	0.6	49	6.3	50	2.8	55	8%	30	132.5
113	16Y622	31-Jul	3	2	B187	6.0	25.0	38.0	31.0					0.6	58	0.5	51	7.5	69	11.0	68	-0.4	59	1.3	57	-12.0	68	2.8	61	6%	37	132.9
114	16Y668	6-Aug	1	1	B187	20.5	30.0	25.5	14.0		5.5	1.5	2.5	0.5	59	0.3	49	6.5	70	9.8	70	-1.7	68	0.7	66	-6.1	68	2.4	71	5%	39	128.4
115	16Y620	26-Jul	2	1	B187	6.0	25.0	38.0	31.0					0.5	64	0.2	52	6.3	71	9.4	71	-0.7	70	1.7	67	-16.8	70	2.8	72	6%	39	131.9
116	16Y606	21-Jul	2	2	B187	16.5	25.0	26.0	12.5		11.0	5.0	3.0	0.5	64	-0.3	52	6.9	71	9.7	71	-1.2	70	1.4	67	-4.6	70	2.6	73	10%	39	135.9
117	16Y671	7-Aug	1	1	B187	6.0	25.0	37.5	31.0					0.5	57	-0.1	49	6.9	68	9.6	67	-0.8	56	1.3	55	-11.9	68	2.4	60	3%	37	128.7
118	16Y672	7-Aug	2	2	B187	25.0	25.0	37.5	12.5					0.4	60	-0.3	53	4.6	71	7.8	71	-1.4	69	1.0	67	-10.0	69	1.7	72	11%	39	126.8
119	16Y626	25-Jul	2	1	B187	6.0	25.0	38.0	31.0					0.6	59	0.1	50	6.5	67	9.2	69	-0.7	68	1.1	65	-4.7	68	2.1	71	6%	39	130.9
120	16Y636	2-Aug	3	2	B187	17.5	28.0	25.5	12.5		5.5	1.5	2.5	0.5	61	-0.1	51	6.3	71	9.2	71	-1.4	70	1.1	67	-8.8	70	2.1	72	8%	39	132.5
121	16Y604	21-Jul	2	2	B187	6.0	25.0	37.5	31.0		5.5	2.0	2.5	0.5	58	0.4	52	6.4	70	8.9	70	-1.0	68	1.5	65	-13.0	68	2.3	71	6%	38	133.8
122	16Y608	22-Jul	1	1	B187	6.0	25.0	38.0	31.0					0.3	57	0.0	39	5.8	65	8.1	65	-0.5	64	1.0	61	-11.3	66	2.7	69	2%	32	127.1
123	16Y656	5-Aug	2	2	B187	16.5	28.5	23.0	12.5		11.0	3.0	5.0	0.5	58	-0.5	49	7.0	70	10.1	70	-1.6	68	1.1	66	-14.0	69	2.9	72	7%	38	133.0
124	16Y619	25-Jul	2	2	B187	6.0	25.0	38.0	31.0					0.5	60	0.2	51	6.8	70	9.4	71	-0.2	69	1.7	66	-10.2	69	2.9	72	6%	39	133.3
125	16Y621	31-Jul	3	2	B187	6.0	25.0	38.0	31.0					0.6	60	0.5	51	6.9	70	9.7	71	-0.7	69	0.9	66	-18.4	70	1.7	72	3%	39	126.8
126	16Y633	2-Aug	2	2	B187	6.0	25.0	38.0	31.0					0.4	55	-0.4	48	6.0	64	8.5	65	-0.2	58	1.7	57	-11.0	55	2.2	59	5%	37	129.2
127	16Y901	18-Jul	2	2	B187	6.0	25.0	37.5	31.0					0.6	59	-0.1	48	6.4	70	9.3	70	-0.7	69	1.4	66	-14.2	69	2.3	71	6%	38	131.4
128	16Y648	4-Aug	2	2	B187	17.5	30.0	28.5	14.0		5.5	1.5	2.5	0.5	60	-0.1	50	6.4	70	9.2	70	-1.2	68	0.9	66	-1.0	69	2.6	72	7%	39	131.9
129	16Y616	26-Jul	2	1	B187	6.0	25.0	38.0	31.0					0.5	63	0.2	52	6.8	70	9.3	70	-1.0	69	1.5	66	-11.8	69	2.4	71	4%	39	130.9
130	16Y702	4-Aug	2	2	921	10.5	9.5	22.0	9.5		41.0	6.0	1.5	0.5	54	0.1	36	7.7	68	11.5	67	-1.0	64	0.5	61	8.3	66	3.0	70	8%	30	134.0
131	16Y658	5-Aug	2	2	B187	16.5	28.5	23.0	12.5		11.0	3.0	5.0	0.4	56	-0.1	48	6.1	68	8.3	67	-1.3	55	1.2	54	-5.9	67	2.5	60	7%	37	134.0
132	16Y651	4-Aug	3	2	B187	20.5	28.0	25.5	15.5		5.5	1.5	2.5	0.5	60	-0.2	52	7.2	71	9.8	71	-1.6	69	0.6	67	-5.0	70	2.9	72	9%	39	135.5
133	16Y611	25-Jul	2	2	B187	6.0	25.0	38.0	31.0					0.5	62	0.0	50	6.0	69	8.5	69	-0.8	68	1.7	66	-12.1	68	2.1	71	5%	39	133.0
134	16Y641	3-Aug	2	2	B187	20.0	34.5	26.0	15.0		2.5	1.0	1.5	0.4	63	-0.2	49	6.0	70	8.8	70	-1.2	68	1.0	65	-8.7	55	2.1	72	8%	37	130.6
135	16Y659	5-Aug	2	2	B187	16.5	28.5	23.0	12.5		11.0	3.0	5.0	0.4	58	-0.1	48	6.2	69	8.4	69	-1.6	67	1.1	65	-1.8	69	2.9	71	8%	38	135.1
136	16Y646	4-Aug	2	2	B187	25.0	28.0	31.0	15.5					0.4	60	-0.4	52	4.9	71	7.6	71	-1.1	70	0.2	67	-8.5	70	1.7	73	10%	39	125.9
137	16Y662	5-Aug	3	3	B187	15.5	28.0	20.0	19.0		11.0	3.0	5.0	0.3	60	-0.1	53	4.9	71	7.6	71	-0.1	69	1.4	67	-6.6	70	1.8	73	8%	39	130.6
138	16Y654	5-Aug	2	2	B187	16.5	25.0	26.0	12.5		11.0	3.5	5.0	0.3	60	-0.4	51	4.5	71	7.1	71	-0.7	68	1.6	66	-6.6	69	1.9	72	8%	38	129.8
139	16Y649	4-Aug	2	2	B187	17.5	30.0	28.5	14.0		5.5	1.5	2.5	0.5	60	-0.1	50	5.8	70	8.3	70	-1.4	68	1.0	66	-12.2	69	1.3	72	4%	39	127.6
140	16Y661	5-Aug	3	3	B187	15.5	28.0	20.0	19.0		11.0	3.0	5.0	0.4	60	-0.1	53	5.1	71	7.5	71	-0.5	69	1.4	67	-6.5	70	1.6	73	8%	39	131.7

LOT	ID	DOB	BREED %										MCP+																			
			BT	RT	SIRE	EF	FINN	TEX	BL	KEL	CP	DST	WS	BWT	acc	MWWT	acc	WWT	acc	PWWT	acc	PFAT	acc	PEMD	acc	YGFW	acc	PSC	acc	NLW	acc	INDEX
141	16Y680	9-Aug	2	2	B187	6.0	25.0	37.5	31.0					0.4	60	-0.2	53	5.1	69	7.2	70	-0.1	69	1.8	67	-11.8	70	1.6	72	6%	38	129.1
142	16Y652	4-Aug	3	3	B187	20.5	28.0	25.5	15.5		5.5	1.5	2.5	0.4	60	-0.2	52	5.7	71	8.3	71	-0.9	69	1.5	67	-6.6	70	2.3	72	9%	39	136.1
143	16M038	18-Aug	2	2	T094	50		50						0.4	48	0.7	39	6.0	62	8.9	63	-1.2	62	1.3	58			1.5	65	0%	27	136.7
144	16M027	6-Aug	2	2	T094	50		50						0.6	41			6.2	58	8.3	59	-0.7	57	1.5	54	-3.3	57	1.6	63	-4%	25	129.0
145	16M026	6-Aug	2	2	T094	50		50						0.6	41			6.6	58	9.2	59	-1.0	57	1.3	54	-7.7	57	2.4	63	-2%	25	129.7
146	16M035	12-Aug	2	1	T094	50		50						0.4	50	0.3	40	5.2	63	7.9	64	-1.0	63	0.9	59	-3.2	58	2.2	66	3%	28	131.0
147	16M028	6-Aug	2	2	T094	50		50						0.5	41			5.6	58	8.2	59	-0.5	57	1.9	53	-5.6	57	2.0	63	-2%	25	130.0
148	16M049	25-Aug	2	1	T094	50		50						0.3	37			5.1	49	7.9	50	0.3	49	2.7	45			2.5	53	-3%	21	130.2
149	16M033	5-Aug	2	2	T094	50		50						0.2	41			4.3	58	6.9	59	0.1	57	3.0	53	-5.5	57	1.9	63	-4%	23	130.4
150	16M047	30-Aug	2	1	T094	50		50						0.5	37			4.6	50	6.5	51	-0.7	49	1.7	45			-4%	24	122.2		


JAYDEE

JOHN DOWDY

CM-001

Analysis : **MATERNAL - CM**

Dated : 6-Oct-17



SHEEP GENETICS
• mta • ryan •



HEALTH STATUS

Drenching : The rams have been drenched recently, however it is recommended that any stock introduced to your property are drenched upon arrival.

Vaccinations : All rams are fully vaccinated with 6 in 1, Eryvac and Scabby Mouth vaccines.

Ovine Johne's Disease : MN3 V status / ABC 10 points. Gudair vaccination commenced in 2006.

Ovine Brucellosis : accredited no. 373

Although the property is free of lice, the rams were dipped after shearing in August as a precaution.

MANAGEMENT OF YOUR NEW RAMS

The rams presented have been grown out on spring pasture to be in prime working condition. Each ram has recently been drenched and vaccinated. Their future management, especially in the next year will influence the rams productive life in your breeding program.

We wish you every success with your purchase and suggest that you:

- Place new rams in a secure paddock away from older rams and unjoined females until mating.
If absolutely necessary to introduce new rams to other rams before mating, try to lessen the risk of injury by confining the group in a small pen, eg. catching pen. Leave for 12-24 hours until more settled before releasing.
- Be aware that Ovine Brucellosis is the most common cause of ram infertility in Australia and can be transmitted to your rams from any sexually active males as well as recently joined females (for up to six weeks after mating).
- Injuries can lead to infection and require prompt treatment with antibiotics (especially lameness).
- In the interval before mating feed your rams well, remembering semen is manufactured six weeks prior to use. If you are able to supplement your rams' diet with lupins it will improve semen quality.
- Your rams will perform better if they have a short fleece during the mating season.
- Don't overwork rams in their first season. Preferably put them with older or mixed age ewes.
- After use treat them well, they are your investment for future years. Give regular drenches, 6 in 1 vaccinations, adequate nutrition and regular physical examinations to help ensure a long productive life.

We guarantee that our rams will successfully complete their first breeding season so if you feel a ram has failed to do this please contact us to discuss the matter as soon as possible. (*conditions apply*)

If you would like any further advice, please feel free to contact us at any time.

Thankyou for your support
John, Josh, Judy & Jackson